

Safety Light Curtain

SL2-14-0150-E SLIM safety light curtain type 2 res = 14 mm h = 150 mm edm man/auto	957911020
SL2-14-0210-E SLIM safety light curtain type 2 res = 14 mm h = 210 mm edm man/auto	957911030
SL2-14-0270-E SLIM safety light curtain type 2 res = 14 mm h = 270 mm edm man/auto	957911040
SL2-14-0300-E SLIM safety light curtain type 2 res = 14 mm h = 300 mm edm man/auto	957911050
SL2-14-0330-E SLIM safety light curtain type 2 res = 14 mm h = 330 mm edm man/auto	957911060
SL2-14-0360-E SLIM safety light curtain type 2 res = 14 mm h = 360 mm edm man/auto	957911070
SL2-14-0390-E SLIM safety light curtain type 2 res = 14 mm h = 390 mm edm man/auto	957911080
SL2-14-0420-E SLIM safety light curtain type 2 res = 14 mm h = 420 mm edm man/auto	957911090
SL2-14-0450-E SLIM safety light curtain type 2 res = 14 mm h = 450 mm edm man/auto	957911100
SL2-14-0480-E SLIM safety light curtain type 2 res = 14 mm h = 480 mm edm man/auto	957911110
SL2-14-0510-E SLIM safety light curtain type 2 res = 14 mm h = 510 mm edm man/auto	957911120
SL2-14-0540-E SLIM safety light curtain type 2 res = 14 mm h = 540 mm edm man/auto	957911130
SL2-14-0570-E SLIM safety light curtain type 2 res = 14 mm h = 570 mm edm man/auto	957911140
SL2-14-0600-E SLIM safety light curtain type 2 res = 14 mm h = 600 mm edm man/auto	957911150
SL2-14-0630-E SLIM safety light curtain type 2 res = 14 mm h = 630 mm edm man/auto	957911160
SL2-14-0660-E SLIM safety light curtain type 2 res = 14 mm h = 660 mm edm man/auto	957911170
SL2-14-0690-E SLIM safety light curtain type 2 res = 14 mm h = 690 mm edm man/auto	957911180
SL2-14-0720-E SLIM safety light curtain type 2 res = 14 mm h = 720 mm edm man/auto	957911190
SL2-14-0750-E SLIM safety light curtain type 2 res = 14 mm h = 750 mm edm man/auto	957911200
SL2-14-0780-E SLIM safety light curtain type 2 res = 14 mm h = 780 mm edm man/auto	957911210
SL2-14-0810-E SLIM safety light curtain type 2 res = 14 mm h = 810 mm edm man/auto	957911220
SL2-14-0840-E SLIM safety light curtain type 2 res = 14 mm h = 840 mm edm man/auto	957911230
SL2-14-0870-E SLIM safety light curtain type 2 res = 14 mm h = 870 mm edm man/auto	957911240
SL2-14-0900-E SLIM safety light curtain type 2 res = 14 mm h = 900 mm edm man/auto	957911250
SL2-14-0930-E SLIM safety light curtain type 2 res = 14 mm h = 930 mm edm man/auto	957911260
SL2-14-0960-E SLIM safety light curtain type 2 res = 14 mm h = 960 mm edm man/auto	957911270
SL2-14-0990-E SLIM safety light curtain type 2 res = 14 mm h = 990 mm edm man/auto	957911280

SL2-14-1020-E SLIM safety light curtain type 2 res = 14 mm h = 1020 mm edm man/auto	957911290
SL2-14-1050-E SLIM safety light curtain type 2 res = 14 mm h = 1050 mm edm man/auto	957911300
SL2-14-1080-E SLIM safety light curtain type 2 res = 14 mm h = 1080 mm edm man/auto	957911310
SL2-14-1110-E SLIM safety light curtain type 2 res = 14 mm h = 1110 mm edm man/auto	957911320
SL2-14-1140-E SLIM safety light curtain type 2 res = 14 mm h = 1140 mm edm man/auto	957911330
SL2-14-1170-E SLIM safety light curtain type 2 res = 14 mm h = 1170 mm edm man/auto	957911340
SL2-14-1200-E SLIM safety light curtain type 2 res = 14 mm h = 1200 mm edm man/auto	957911350
SL2-24-0150-E SLIM safety light curtain type 2 res = 24 mm h = 150 mm edm man/auto	957911360
SL2-24-0210-E SLIM safety light curtain type 2 res = 24 mm h = 210 mm edm man/auto	957911370
SL2-24-0270-E SLIM safety light curtain type 2 res = 24 mm h = 270 mm edm man/auto	957911380
SL2-24-0300-E SLIM safety light curtain type 2 res = 24 mm h = 300 mm edm man/auto	957911390
SL2-24-0330-E SLIM safety light curtain type 2 res = 24 mm h = 330 mm edm man/auto	957911400
SL2-24-0360-E SLIM safety light curtain type 2 res = 24 mm h = 360 mm edm man/auto	957911410
SL2-24-0390-E SLIM safety light curtain type 2 res = 24 mm h = 390 mm edm man/auto	957911420
SL2-24-0420-E SLIM safety light curtain type 2 res = 24 mm h = 420 mm edm man/auto	957911430
SL2-24-0450-E SLIM safety light curtain type 2 res = 24 mm h = 450 mm edm man/auto	957911440
SL2-24-0480-E SLIM safety light curtain type 2 res = 24 mm h = 480 mm edm man/auto	957911450
SL2-24-0510-E SLIM safety light curtain type 2 res = 24 mm h = 510 mm edm man/auto	957911460
SL2-24-0540-E SLIM safety light curtain type 2 res = 24 mm h = 540 mm edm man/auto	957911470
SL2-24-0570-E SLIM safety light curtain type 2 res = 24 mm h = 570 mm edm man/auto	957911480
SL2-24-0600-E SLIM safety light curtain type 2 res = 24 mm h = 600 mm edm man/auto	957911490
SL2-24-0630-E SLIM safety light curtain type 2 res = 24 mm h = 630 mm edm man/auto	957911500
SL2-24-0660-E SLIM safety light curtain type 2 res = 24 mm h = 660 mm edm man/auto	957911510
SL2-24-0690-E SLIM safety light curtain type 2 res = 24 mm h = 690 mm edm man/auto	957911520
SL2-24-0720-E SLIM safety light curtain type 2 res = 24 mm h = 720 mm edm man/auto	957911530
SL2-24-0750-E SLIM safety light curtain type 2 res = 24 mm h = 750 mm edm man/auto	957911540
SL2-24-0780-E SLIM safety light curtain type 2 res = 24 mm h = 780 mm edm man/auto	957911550
SL2-24-0810-E SLIM safety light curtain type 2 res = 24 mm h = 810 mm edm man/auto	957911560

SL2-24-0840-E SLIM safety light curtain type 2 res = 24 mm h = 840 mm edm man/auto	957911570
SL2-24-0870-E SLIM safety light curtain type 2 res = 24 mm h = 870 mm edm man/auto	957911580
SL2-24-0900-E SLIM safety light curtain type 2 res = 24 mm h = 900 mm edm man/auto	957911590
SL2-24-0930-E SLIM safety light curtain type 2 res = 24 mm h = 930 mm edm man/auto	957911600
SL2-24-0960-E SLIM safety light curtain type 2 res = 24 mm h = 960 mm edm man/auto	957911610
SL2-24-0990-E SLIM safety light curtain type 2 res = 24 mm h = 990 mm edm man/auto	957911620
SL2-24-1020-E SLIM safety light curtain type 2 res = 24 mm h = 1020 mm edm man/auto	957911630
SL2-24-1050-E SLIM safety light curtain type 2 res = 24 mm h = 1050 mm edm man/auto	957911640
SL2-24-1080-E SLIM safety light curtain type 2 res = 24 mm h = 1080 mm edm man/auto	957911650
SL2-24-1110-E SLIM safety light curtain type 2 res = 24 mm h = 1110 mm edm man/auto	957911660
SL2-24-1140-E SLIM safety light curtain type 2 res = 24 mm h = 1140 mm edm man/auto	957911670
SL2-24-1170-E SLIM safety light curtain type 2 res = 24 mm h = 1170 mm edm man/auto	957911680
SL2-24-1200-E SLIM safety light curtain type 2 res = 24 mm h = 1200 mm edm man/auto	957911690
SL2-34-0150-E SLIM safety light curtain type 2 res = 34 mm h = 150 mm edm man/auto	957911700
SL2-34-0210-E SLIM safety light curtain type 2 res = 34 mm h = 210 mm edm man/auto	957911710
SL2-34-0270-E SLIM safety light curtain type 2 res = 34 mm h = 270 mm edm man/auto	957911720
SL2-34-0300-E SLIM safety light curtain type 2 res = 34 mm h = 300 mm edm man/auto	957911730
SL2-34-0330-E SLIM safety light curtain type 2 res = 34 mm h = 330 mm edm man/auto	957911740
SL2-34-0360-E SLIM safety light curtain type 2 res = 34 mm h = 360 mm edm man/auto	957911750
SL2-34-0390-E SLIM safety light curtain type 2 res = 34 mm h = 390 mm edm man/auto	957911760
SL2-34-0420-E SLIM safety light curtain type 2 res = 34 mm h = 420 mm edm man/auto	957911770
SL2-34-0450-E SLIM safety light curtain type 2 res = 34 mm h = 450 mm edm man/auto	957911780
SL2-34-0480-E SLIM safety light curtain type 2 res = 34 mm h = 480 mm edm man/auto	957911790
SL2-34-0510-E SLIM safety light curtain type 2 res = 34 mm h = 510 mm edm man/auto	957911800
SL2-34-0540-E SLIM safety light curtain type 2 res = 34 mm h = 540 mm edm man/auto	957911810
SL2-34-0570-E SLIM safety light curtain type 2 res = 34 mm h = 570 mm edm man/auto	957911820
SL2-34-0600-E SLIM safety light curtain type 2 res = 34 mm h = 600 mm edm man/auto	957911830
SL2-34-0630-E SLIM safety light curtain type 2 res = 34 mm h = 630 mm edm man/auto	957911840

SL2-34-0660-E SLIM safety light curtain type 2 res = 34 mm h = 660 mm edm man/auto	957911850
SL2-34-0690-E SLIM safety light curtain type 2 res = 34 mm h = 690 mm edm man/auto	957911860
SL2-34-0720-E SLIM safety light curtain type 2 res = 34 mm h = 720 mm edm man/auto	957911870
SL2-34-0750-E SLIM safety light curtain type 2 res = 34 mm h = 750 mm edm man/auto	957911880
SL2-34-0780-E SLIM safety light curtain type 2 res = 34 mm h = 780 mm edm man/auto	957911890
SL2-34-0810-E SLIM safety light curtain type 2 res = 34 mm h = 810 mm edm man/auto	957911900
SL2-34-0840-E SLIM safety light curtain type 2 res = 34 mm h = 840 mm edm man/auto	957911910
SL2-34-0870-E SLIM safety light curtain type 2 res = 34 mm h = 870 mm edm man/auto	957911920
SL2-34-0900-E SLIM safety light curtain type 2 res = 34 mm h = 900 mm edm man/auto	957911930
SL2-34-0930-E SLIM safety light curtain type 2 res = 34 mm h = 930 mm edm man/auto	957911940
SL2-34-0960-E SLIM safety light curtain type 2 res = 34 mm h = 960 mm edm man/auto	957911950
SL2-34-0990-E SLIM safety light curtain type 2 res = 34 mm h = 990 mm edm man/auto	957911960
SL2-34-1020-E SLIM safety light curtain type 2 res = 34 mm h = 1020 mm edm man/auto	957911970
SL2-34-1050-E SLIM safety light curtain type 2 res = 34 mm h = 1050 mm edm man/auto	957911980
SL2-34-1080-E SLIM safety light curtain type 2 res = 34 mm h = 1080 mm edm man/auto	957911990
SL2-34-1110-E SLIM safety light curtain type 2 res = 34 mm h = 1110 mm edm man/auto	957912000
SL2-34-1140-E SLIM safety light curtain type 2 res = 34 mm h = 1140 mm edm man/auto	957912010
SL2-34-1170-E SLIM safety light curtain type 2 res = 34 mm h = 1170 mm edm man/auto	957912020
SL2-34-1200-E SLIM safety light curtain type 2 res = 34 mm h = 1200 mm edm man/auto	957912030
SL4-14-0150-E SLIM safety light curtain type 4 res = 14 mm h = 150 mm edm man/auto	957910000
SL4-14-0210-E SLIM safety light curtain type 4 res = 14 mm h = 210 mm edm man/auto	957910010
SL4-14-0270-E SLIM safety light curtain type 4 res = 14 mm h = 270 mm edm man/auto	957910020
SL4-14-0300-E SLIM safety light curtain type 4 res = 14 mm h = 300 mm edm man/auto	957910030
SL4-14-0330-E SLIM safety light curtain type 4 res = 14 mm h = 330 mm edm man/auto	957910040
SL4-14-0360-E SLIM safety light curtain type 4 res = 14 mm h = 360 mm edm man/auto	957910050
SL4-14-0390-E SLIM safety light curtain type 4 res = 14 mm h = 390 mm edm man/auto	957910060
SL4-14-0420-E SLIM safety light curtain type 4 res = 14 mm h = 420 mm edm man/auto	957910070
SL4-14-0450-E SLIM safety light curtain type 4 res = 14 mm h = 450 mm edm man/auto	957910080

SL4-14-0480-E SLIM safety light curtain type 4 res = 14 mm h = 480 mm edm man/auto	957910090
SL4-14-0510-E SLIM safety light curtain type 4 res = 14 mm h = 510 mm edm man/auto	957910100
SL4-14-0540-E SLIM safety light curtain type 4 res = 14 mm h = 540 mm edm man/auto	957910110
SL4-14-0570-E SLIM safety light curtain type 4 res = 14 mm h = 570 mm edm man/auto	957910120
SL4-14-0600-E SLIM safety light curtain type 4 res = 14 mm h = 600 mm edm man/auto	957910130
SL4-14-0630-E SLIM safety light curtain type 4 res = 14 mm h = 630 mm edm man/auto	957910140
SL4-14-0660-E SLIM safety light curtain type 4 res = 14 mm h = 660 mm edm man/auto	957910150
SL4-14-0690-E SLIM safety light curtain type 4 res = 14 mm h = 690 mm edm man/auto	957910160
SL4-14-0720-E SLIM safety light curtain type 4 res = 14 mm h = 720 mm edm man/auto	957910170
SL4-14-0750-E SLIM safety light curtain type 4 res = 14 mm h = 750 mm edm man/auto	957910180
SL4-14-0780-E SLIM safety light curtain type 4 res = 14 mm h = 780 mm edm man/auto	957910190
SL4-14-0810-E SLIM safety light curtain type 4 res = 14 mm h = 810 mm edm man/auto	957910200
SL4-14-0840-E SLIM safety light curtain type 4 res = 14 mm h = 840 mm edm man/auto	957910210
SL4-14-0870-E SLIM safety light curtain type 4 res = 14 mm h = 870 mm edm man/auto	957910220
SL4-14-0900-E SLIM safety light curtain type 4 res = 14 mm h = 900 mm edm man/auto	957910230
SL4-14-0930-E SLIM safety light curtain type 4 res = 14 mm h = 930 mm edm man/auto	957910240
SL4-14-0960-E SLIM safety light curtain type 4 res = 14 mm h = 960 mm edm man/auto	957910250
SL4-14-0990-E SLIM safety light curtain type 4 res = 14 mm h = 990 mm edm man/auto	957910260
SL4-14-1020-E SLIM safety light curtain type 4 res = 14 mm h = 1020 mm edm man/auto	957910270
SL4-14-1050-E SLIM safety light curtain type 4 res = 14 mm h = 1050 mm edm man/auto	957910280
SL4-14-1080-E SLIM safety light curtain type 4 res = 14 mm h = 1080 mm edm man/auto	957910290
SL4-14-1110-E SLIM safety light curtain type 4 res = 14 mm h = 1110 mm edm man/auto	957910300
SL4-14-1140-E SLIM safety light curtain type 4 res = 14 mm h = 1140 mm edm man/auto	957910310
SL4-14-1170-E SLIM safety light curtain type 4 res = 14 mm h = 1170 mm edm man/auto	957910320
SL4-14-1200-E SLIM safety light curtain type 4 res = 14 mm h = 1200 mm edm man/auto	957910330
SL4-24-0150-E SLIM safety light curtain type 4 res = 24 mm h = 150 mm edm man/auto	957910340
SL4-24-0210-E SLIM safety light curtain type 4 res = 24 mm h = 210 mm edm man/auto	957910350
SL4-24-0270-E SLIM safety light curtain type 4 res = 24 mm h = 270 mm edm man/auto	957910360

SL4-24-0300-E SLIM safety light curtain type 4 res = 24 mm h = 300 mm edm man/auto	957910370
SL4-24-0330-E SLIM safety light curtain type 4 res = 24 mm h = 330 mm edm man/auto	957910380
SL4-24-0360-E SLIM safety light curtain type 4 res = 24 mm h = 360 mm edm man/auto	957910390
SL4-24-0390-E SLIM safety light curtain type 4 res = 24 mm h = 390 mm edm man/auto	957910400
SL4-24-0420-E SLIM safety light curtain type 4 res = 24 mm h = 420 mm edm man/auto	957910410
SL4-24-0450-E SLIM safety light curtain type 4 res = 24 mm h = 450 mm edm man/auto	957910420
SL4-24-0480-E SLIM safety light curtain type 4 res = 24 mm h = 480 mm edm man/auto	957910430
SL4-24-0510-E SLIM safety light curtain type 4 res = 24 mm h = 510 mm edm man/auto	957910440
SL4-24-0540-E SLIM safety light curtain type 4 res = 24 mm h = 540 mm edm man/auto	957910450
SL4-24-0570-E SLIM safety light curtain type 4 res = 24 mm h = 570 mm edm man/auto	957910460
SL4-24-0600-E SLIM safety light curtain type 4 res = 24 mm h = 600 mm edm man/auto	957910470
SL4-24-0630-E SLIM safety light curtain type 4 res = 24 mm h = 630 mm edm man/auto	957910480
SL4-24-0660-E SLIM safety light curtain type 4 res = 24 mm h = 660 mm edm man/auto	957910490
SL4-24-0690-E SLIM safety light curtain type 4 res = 24 mm h = 690 mm edm man/auto	957910500
SL4-24-0720-E SLIM safety light curtain type 4 res = 24 mm h = 720 mm edm man/auto	957910510
SL4-24-0750-E SLIM safety light curtain type 4 res = 24 mm h = 750 mm edm man/auto	957910520
SL4-24-0780-E SLIM safety light curtain type 4 res = 24 mm h = 780 mm edm man/auto	957910530
SL4-24-0810-E SLIM safety light curtain type 4 res = 24 mm h = 810 mm edm man/auto	957910540
SL4-24-0840-E SLIM safety light curtain type 4 res = 24 mm h = 840 mm edm man/auto	957910550
SL4-24-0870-E SLIM safety light curtain type 4 res = 24 mm h = 870 mm edm man/auto	957910560
SL4-24-0900-E SLIM safety light curtain type 4 res = 24 mm h = 900 mm edm man/auto	957910570
SL4-24-0930-E SLIM safety light curtain type 4 res = 24 mm h = 930 mm edm man/auto	957910580
SL4-24-0960-E SLIM safety light curtain type 4 res = 24 mm h = 960 mm edm man/auto	957910590
SL4-24-0990-E SLIM safety light curtain type 4 res = 24 mm h = 990 mm edm man/auto	957910600
SL4-24-1020-E SLIM safety light curtain type 4 res = 24 mm h = 1020 mm edm man/auto	957910610
SL4-24-1050-E SLIM safety light curtain type 4 res = 24 mm h = 1050 mm edm man/auto	957910620
SL4-24-1080-E SLIM safety light curtain type 4 res = 24 mm h = 1080 mm edm man/auto	957910630
SL4-24-1110-E SLIM safety light curtain type 4 res = 24 mm h = 1110 mm edm man/auto	957910640

SL4-24-1140-E SLIM safety light curtain type 4 res = 24 mm h = 1140 mm edm man/auto	957910650
SL4-24-1170-E SLIM safety light curtain type 4 res = 24 mm h = 1170 mm edm man/auto	957910660
SL4-24-1200-E SLIM safety light curtain type 4 res = 24 mm h = 1200 mm edm man/auto	957910670
SL4-34-0150-E SLIM safety light curtain type 4 res = 34 mm h = 150 mm edm man/auto	957910680
SL4-34-0210-E SLIM safety light curtain type 4 res = 34 mm h = 210 mm edm man/auto	957910690
SL4-34-0270-E SLIM safety light curtain type 4 res = 34 mm h = 270 mm edm man/auto	957910700
SL4-34-0300-E SLIM safety light curtain type 4 res = 34 mm h = 300 mm edm man/auto	957910710
SL4-34-0330-E SLIM safety light curtain type 4 res = 34 mm h = 330 mm edm man/auto	957910720
SL4-34-0360-E SLIM safety light curtain type 4 res = 34 mm h = 360 mm edm man/auto	957910730
SL4-34-0390-E SLIM safety light curtain type 4 res = 34 mm h = 390 mm edm man/auto	957910740
SL4-34-0420-E SLIM safety light curtain type 4 res = 34 mm h = 420 mm edm man/auto	957910750
SL4-34-0450-E SLIM safety light curtain type 4 res = 34 mm h = 450 mm edm man/auto	957910760
SL4-34-0480-E SLIM safety light curtain type 4 res = 34 mm h = 480 mm edm man/auto	957910770
SL4-34-0510-E SLIM safety light curtain type 4 res = 34 mm h = 510 mm edm man/auto	957910780
SL4-34-0540-E SLIM safety light curtain type 4 res = 34 mm h = 540 mm edm man/auto	957910790
SL4-34-0570-E SLIM safety light curtain type 4 res = 34 mm h = 570 mm edm man/auto	957910800
SL4-34-0600-E SLIM safety light curtain type 4 res = 34 mm h = 600 mm edm man/auto	957910810
SL4-34-0630-E SLIM safety light curtain type 4 res = 34 mm h = 630 mm edm man/auto	957910820
SL4-34-0660-E SLIM safety light curtain type 4 res = 34 mm h = 660 mm edm man/auto	957910830
SL4-34-0690-E SLIM safety light curtain type 4 res = 34 mm h = 690 mm edm man/auto	957910840
SL4-34-0720-E SLIM safety light curtain type 4 res = 34 mm h = 720 mm edm man/auto	957910850
SL4-34-0750-E SLIM safety light curtain type 4 res = 34 mm h = 750 mm edm man/auto	957910860
SL4-34-0780-E SLIM safety light curtain type 4 res = 34 mm h = 780 mm edm man/auto	957910870
SL4-34-0810-E SLIM safety light curtain type 4 res = 34 mm h = 810 mm edm man/auto	957910880
SL4-34-0840-E SLIM safety light curtain type 4 res = 34 mm h = 840 mm edm man/auto	957910890
SL4-34-0870-E SLIM safety light curtain type 4 res = 34 mm h = 870 mm edm man/auto	957910900
SL4-34-0900-E SLIM safety light curtain type 4 res = 34 mm h = 900 mm edm man/auto	957910910
SL4-34-0930-E SLIM safety light curtain type 4 res = 34 mm h = 930 mm edm man/auto	957910920

SL4-34-0960-E SLIM safety light curtain type 4 res = 34 mm h = 960 mm edm man/auto	957910930
SL4-34-0990-E SLIM safety light curtain type 4 res = 34 mm h = 990 mm edm man/auto	957910940
SL4-34-1020-E SLIM safety light curtain type 4 res = 34 mm h = 1020 mm edm man/auto	957910950
SL4-34-1050-E SLIM safety light curtain type 4 res = 34 mm h = 1050 mm edm man/auto	957910960
SL4-34-1080-E SLIM safety light curtain type 4 res = 34 mm h = 1080 mm edm man/auto	957910970
SL4-34-1110-E SLIM safety light curtain type 4 res = 34 mm h = 1110 mm edm man/auto	957910980
SL4-34-1140-E SLIM safety light curtain type 4 res = 34 mm h = 1140 mm edm man/auto	957910990
SL4-34-1170-E SLIM safety light curtain type 4 res = 34 mm h = 1170 mm edm man/auto	957911000
SL4-34-1200-E SLIM safety light curtain type 4 res = 34 mm h = 1200 mm edm man/auto	957911010

CABLES	
Cable M12 5-p axial 10m	95ACC2140
Cable M12 5-p axial 10m UL 2464	95ASE1190
Cable M12 5-p axial 3m	95ACC2110
Cable M12 5-p axial 3m UL 2464	95ASE1170
Cable M12 5-p axial 5m	95ACC2120
Cable M12 5-p axial 5m UL 2464	95ASE1180
CS-H1-03-B-001 SLIM Cascade cable 0.1m	95A252950
CS-H1-03-B-005 SLIM Cascade cable 0.5m	95ASE2550
CS-H1-03-B-01 SLIM Cascade cable 1m	95ASE2560

MISCELLANEOUS	
TP-14 Test piece ø 14 mm	95ACC1630
TP-24 Test piece ø 24 mm	95ASE2570
TP-34 Test piece ø 34 mm	95ASE2580

MOUNTS/STANDS	
ST-K2-SL-C C-shaped Brackets: 2 pcs kit for SLIM	95ASE2510
ST-K2-SL-C-OR C-shaped Orientable Brackets: 2 pcs kit for SLIM	95ASE2530
ST-K2-SL-L L-shaped Bracketets: 2 pcs kit for SLIM	95ASE2540
ST-K4-SL-O O-shaped Brackets: 4 pcs kit for SLIM	95ASE2520

SAFETY INTERFACE	
CSME-03VU24-Y14 Forced guided relay interface 3NO + 1 NC	95ASE1270
SE-SR2 Safety unit 3NO + 1NC outputs	95ACC6170