

<b>Rhino II Vehicle Mount Computer</b>	
10", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, E3826 DC 4GB RAM, Win10 IoT	94R155625
10", CAP STD, VAC 110/230V Int Ant , 32GB (CFAST/SDHC), No WIFI, E3826 DC 4GB RAM, Win10 IoT	94R151625
10", CAP STD, VAC 110/230V Int Ant , 32GB CFAST, No WIFI, E3845 QC 4GB RAM, WES7E	94R151632
10", CAP STD, VDC 12-48V Ext. Ant. + UPS, 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, No OS (94ACC0264 to be ordered separately)	94R145237
10", CAP STD, VDC 12-48V Ext. Ant. + UPS, 64GB (CFAST), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R142265
10", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R131225
10", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R131235
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Sillex EU, i5core 16GB RAM, Win10 IoT	94R125745
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, No OS	94R125237
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R125235
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Summit PE15N, i5core 8GB RAM, No OS	94R125257
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R125255
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R121235
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB (CFAST/SDHC), Summit PE15N, i5core 8GB RAM, No OS	94R121257
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Intel AC, E3845 QC 4GB RAM, Win10 IoT	94R122435
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT	94R122265
10", CAP STD, VDC 12-48V Int. Ant. + UPS, 32GB (CFAST/SDHC), Intel AC, E3845 QC 4GB RAM, Win10 IoT	94R121435
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Sillex EU, i5core 16GB RAM, Win10 IoT	94R115745
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Sillex US-CA, i5core 16GB RAM, Win10 IoT	94R115845
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, WES7P	94R115233
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R115235
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Sillex EU, i5core 16GB RAM, Win10 IoT	94R111745
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, WES7P	94R111233
10", CAP STD, VDC 12-48V Int. Ant., 32GB , Sillex EU, E3826 DC, WIN10 IoT	94R111725
10", CAP STD, VDC 12-48V Int. Ant., 32GB , Sillex EU, i5core 8GB RAM, WIN10 IoT	94R111755

10", CAP STD, VDC 12-48V Int. Ant., 32GB , Silex US-CA, i5core 8GB RAM, WIN10 IoT	94R111855
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Silex EU, E3845 QC 4GB RAM, Win10 IoT	94R112735
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Silex EU, E3845 QC 8GB RAM, Win10 IoT	94R112765
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Silex EU, i5core 8GB RAM, Win10 IoT	94R112755
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Silex US-CA, i5core 8GB RAM, Win10 IoT	94R112855
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, WES7E	94R112232
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R112235
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, WIN7 Pro	94R112234
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT	94R112265
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R112255
10", CAP STD, VDC 12-48V+UPS Int. Ant., 32GB, Summit PE15N, E3826 DC, No OS	94R121227
10", RES STD, VAC 110/230V Int Ant , 32GB (CFAST/SDHC), No WIFI, E3845 QC 4GB RAM, Win10 IoT	94R251635
10", RES STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R212245
10", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, WES7E (94ACC0264 to be ordered separately)	94R131232
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R121225
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Intel AC, E3826 DC 4GB RAM, Win10 IoT	94R122425
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R122225
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R115245
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Silex EU, E3845 QC 4GB RAM, Win10 IoT	94R111735
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, AMD G-T40E, WES7E	94R111212
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, AMD G-T40E, WES7P	94R111213
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WES7P	94R111223
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WIN10 IoT	94R111225
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC, WIN10 IoT	94R111235
10", CAP STD, VDC 12-48V Int. Ant., 32GB , Summit PE15N, i5core 8GB RAM, WIN10 IoT	94R111255
10", CAP STD, VDC 12-48V Int. Ant., 32GB CFAST, Summit PE15N, E3826 DC 4GB RAM, WES7E	94R111222
10", CAP STD, VDC 12-48V Int. Ant., 32GB CFAST, Summit PE15N, E3845 QC 4GB RAM, WES7E	94R111232
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Intel AC, E3826 DC 4GB RAM, Win10 IoT	94R112425

10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R112225
10", CAP STD, VDC 12-48V Int. Ant., No Ext Card, Laird M2SD50, QMX, Android	94R110100
10", RES STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E (94ACC0264 to be ordered separately)	94R231222
10", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R211225
10", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R211235
10", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Unex Dnxa , AMD G-T40E, No OS	94R211517
12", CAP HB, VDC 12-48V Int. Ant. + UPS , 32GB (CFAST/SDHC), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R721255
12", CAP HB, VDC 12-48V Int. Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R722255
12", CAP HB, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R715255
12", CAP HB, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R712245
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), Intel AC, i5core 8GB RAM, Win10 IoT	94R555455
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, E3845 QC 4GB RAM, No OS	94R555637
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, E3845 QC 4GB RAM, Win10 IoT	94R555635
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), Sillex EU, E3845 QC 4GB RAM, Win10 IoT	94R555735
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R555235
12", CAP STD, VAC 110/230V Int Ant , 64GB (CFAST), Sillex EU, E3845 QC 8GB RAM, Win10 IoT	94R552765
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 240GB (SSD), Summit PE15N, i5core 8GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R545255
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 32GB CFAST, Summit PE15N, E3826 DC 4GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R541225
12", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT(94ACC0264 to be ordered separately)	94R531235
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 128GB (CFAST), Sillex EU, i5core 16GB RAM, Win10 IoT	94R523755
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 128GB (CFAST), Sillex US-CA, i5core 16GB RAM, Win10 IoT	94R523855
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB Summit PE15N, E3826 DC, Win10 IoT	94R521225
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Sillex EU, E3845 QC 4GB RAM, Win10 IoT	94R522735
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Sillex EU, i5core 8GB RAM, Win10 IoT	94R522755
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Sillex US-CA, i5core 16GB RAM, Win10 IoT	94R522855
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB Summit PE15N, E3845 QC, No OS	94R522237


12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Intel AC, E3845 QC 4GB RAM, No OS	94R515437
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Sillex EU, E3845 QC 4GB RAM, Win10 IoT	94R515735
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Sillex EU, i5core 16GB RAM, Win10 IoT	94R515745
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Sillex EU, i5core 8GB RAM, Win10 IoT	94R515755
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Sillex US-CA, i5core 16GB RAM, Win10 IoT	94R515845
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R515245
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R515255
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Sillex EU, i5core 16GB RAM, Win10 IoT	94R511745
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Sillex EU, i5core 8GB RAM, Win10 IoT	94R511755
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Sillex US-CA, i5core 16GB RAM, Win10 IoT	94R511845
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R511235
12", CAP STD, VDC 12-48V Int. Ant., 32GB , Sillex EU, E3826 DC, WIN10 IoT	94R511725
12", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R512245
12", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R512255
12", RES STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E (94ACC0264 to be ordered separately)	94R631222
12", RES STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, No OS	94R625237
12", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R611245
12", RES STD, VDC 12-48V Int. Ant., 64GB (CFAST), Sillex EU, E3845 QC 4GB RAM, Win10 IoT	94R612735
12", RES STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R612225
12", CAP HB, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R712235
12", CAP STD, 12-48VDC + UPS, Win10 IoT Enterprise Quad Core/1.91Ghz processor, 4GB DRAM, 64GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable	94R522235
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, i5core 16GB RAM, Win10 IoT	94R555655
12", CAP STD, VDC 12-48V + UPS Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC(*), WIN7 Pro	94R521224
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 32GB (CFAST/SDHC), Summit PE15N, i5core 16GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R541245
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 64GB, Summit PE15N, E3845 QC 4GB RAM, WES7E (94ACC0264 to be ordered separately)	94R542232
12", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R531225






12", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R531265
12", CAP STD, VDC 12-48V Ext. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R532245
12", CAP STD, VDC 12-48V Ext. Ant., 64GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT (94ACC0264 to be ordered separately)	94R532255
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 128GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R523255
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB Summit PE15N, E3845 QC, Win10 IoT	94R521235
12", CAP STD, VDC 12-48V Int. Ant., 128GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R513255
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Silex EU, E3845 QC 4GB RAM, Win10 IoT	94R511735
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC(*), WIN7 Pro	94R511224
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WES7P	94R511223
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WIN10 IoT	94R511225
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT	94R511265
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R511255
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, i5core 5350 16GB RAM, Win10 IoT	94R511245
12", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Intel AC, i5core 16GB RAM, Win10 IoT	94R512445
12", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Silex EU, E3845 QC 4GB RAM, Win10 IoT	94R512735
12", CAP STD, VDC 12-48V Int. Ant., 64GB, Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R512235
12", CAP STD, VDC 12-48V Int. Ant., No Ext Card, Laird M2SD50, QMX, Android	94R510100
12", RES STD, VDC 12-48V Int. Ant. + UPS, 64GB (CFAST), Silex EU, E3845 QC 4GB RAM, Win10 IoT	94R622735
12", RES STD, VDC 12-48V Int. Ant., 240GB SSD, Summit PE15N, i5core 16GB RAM, Win10 IoT	94R615245
12", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST), Silex EU, E3845 QC 4GB RAM, Win10 IoT	94R611735
12", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, WES7E	94R611232
12", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC, WIN10 IoT	94R611235
94R142B20 - SB 94R142255 10", CAP STD, VDC 12-48V Ext Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 4GB RAM, Win10 IoT	94R142B20
94R522B30 - SB 94R522255 12", CAP STD, VDC 12-48V Int. Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 4GB RAM, Win10 IoT	94R522B30
94R542B40 - SB 94R542255 12", CAP STD, VDC 12-48V Ext Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 4GB RAM, Win10 IoT	94R542B40






<b>EASEOFCARE AGREEMENTS</b>	
RHINO II EOFC OVERNIGHT REPLACEMENT COMPREHENSIVE, 3 YEARS	ZSC1RH231
RHINO II EOFC OVERNIGHT REPLACEMENT COMPREHENSIVE, 5 YEARS	ZSC1RH251
RHINO II EOFC OVERNIGHT REPLACEMENT COMPREHENSIVE, RENEWAL	ZSC1RH2C1
RHINO II WEC7 TO ANDROID CONVERSATION CHARGE	ZR0RH2OSA
RHINO II, EOFC 2 DAYS, COMPREHENSIVE, 1 YEAR RENEWAL	ZSC2RH2R1
RHINO II, EOFC 2 DAYS, COMPREHENSIVE, 3 YEARS	ZSC2RH231
RHINO II, EOFC 2 DAYS, COMPREHENSIVE, 5 YEARS	ZSC2RH251
RHINO II, EOFC 5 DAYS, 1 YEAR RENEWAL	ZSN5RH2R1
RHINO II, EOFC 5 DAYS, 3 YEARS	ZSN5RH231
RHINO II, EOFC 5 DAYS, 5 YEARS	ZSN5RH251

<b>BATTERIES/BATTERY CHARGERS</b>	
UPS Battery Backup with Speaker (requires technician for field installation) Order together with device (NOT for SH21 Blackline) to be installed at the factory	94ACC0164

<b>CABLES</b>	
EXTERNAL ANTENNA CABLE AND DOME ANTENNA	94ACC0264
Screen Blanking RS232 Cable	94ACC0157

<b>MISCELLANEOUS</b>	
	External Keyboard, QWERTY layout
	95ACC1330
24 Key - right side mount keyboard (10 key layout + F1-F6)	94ACC0158
Antenna Cover without antennas (No Wifi option)	94ACC0279
Antenna Top Cover	94ACC0278
Antenna Top Cover Deutsch Poste	94ACC0273

	<p>Antenna, Roof Mount Dome, 4 dBi, 2.4 to 5.9 GHz, top cover, 3m cable (certified for 10â€³ and 12â€³ models only). For radio Summit PE15N. Aftermarket retrofit from Int. Ant. models only possible in DL repair center</p>	<p>94ACC0163</p>
<p>Bracket - Metal holder for 24 key keyboard</p>		<p>94ACC0265</p>
<p>Cable Cover IP65, with single USB</p>		<p>94ACC0174</p>
	<p>Cable Cover, 5 poles, w 2.9m power cable (for quick disconnect)</p>	<p>94ACC0173</p>
<p>CFast 128 GB industrial</p>		<p>94ACC0269</p>
<p>CFast 32 GB industrial</p>		<p>94ACC0267</p>
<p>CFast 64 GB industrial</p>		<p>94ACC0268</p>
	<p>Compact Keyboard, External, QWERTY layout</p>	<p>94ACC1374</p>
	<p>External Keyboard, ABCD layout</p>	<p>95ACC1331</p>
<p>External Keyboard, QWERTZ layout</p>		<p>94ACC0287</p>
	<p>Speaker Cable Cover</p>	<p>94ACC0160</p>
<p>SSD Solid State Disc industrial 240 GB</p>		<p>94ACC0270</p>
<p>Top Cover for LTE WWAN USB &amp; Dual Antennas</p>		<p>94ACC0159</p>

MOUNTS/STANDS		
Amber Foot (Berstein Fuss)		94ACC0281
Fixed Mounting Bracket - 130 degrees for 10/12/15 in		94ACC0172
	Keyboard External Mounting Bracket (full size keyboard)	94ACC0155
Quick Change V-Mount (Rhino II/SH15 only)		94ACC0175
	RAM MOUNT 4" rail base (D Size, 2.25in) (Rhino II/SH15 only)	94ACC0035
RAM Mount C Size Arm 12cm, E,E		94ACC0285
RAM Mount D Size Arm 21cm, E,R		94ACC0284
	RAM Mount with round base (D Size, 2.25in)(Rhino II/SH15 only)	94ACC0034
	Scanner holder (right side)	94ACC0156
Scanner Holder LS36, DS36		94ACC0266
	Vehicle Mounting Bracket - 10 degrees for 10/12 in	94ACC0154
Vesa Holder mobile		94ACC0280



POWER SUPPLIES/CORDS	
AC/DC Power Brick, 24VDC to 110/230VAC (requires IEC line cord) (Rhino II/SH15 only)	94ACC0161
Bluetooth USB Dongle	94ACC0286
DC Power Cable, 2.9 meters (included with main unit) (included with Rhino II/SH15 DC main unit)	94ACC0165
Power Converter: 72-110 VDC input; 15VDC output (requires 12-24VDC industrial computer)	94ACC0041

SOFTWARE	
DATALOGIC-STAYLINKED MULTI SMART TE ANNUAL MAINTENANCE	94A101124
DATALOGIC-STAYLINKED MULTI SMART TE LICENSE WITH 1 YEAR MAINTENANCE	94A101123
DATALOGIC-STAYLINKED SINGLE SMART TE ANNUAL MAINTENANCE	94A101122
DATALOGIC-STAYLINKED SINGLE SMART TE LICENSE WITH 1 YEAR MAINTENANCE	94A101121
Ivanti Android Velocity TE Client 1 Yr Maintenance, powered by Wavelink , WL # 140-MA-VELOCTE	ZSS5VELTE1
Ivanti Velocity Android Web 1 yr Maintenance, powered by Wavelink, WL # 160-MA-VELOCWEB	ZSS5VELWM1
Ivanti Velocity TE Client 3 Years Subscription includes Maintenance Services Ivnt #140-SUB-VELOCTE3	ZS140SBVLCCTENN3
Ivanti Velocity TE Client Annual Subscription includes Maintenance Services Ivnt #140-SUB-VELOCTE	ZS140SBVLCCTENN
Ivanti Velocity TE Client Perpetual to 1 Year Subscription Conversion Ivnt #140-CON-VELOCTE	ZS140CNVLCCTENN
Ivanti Velocity TE Client Perpetual to 3 Years Subscription Conversion Ivnt #140-CON-VELOCTE3	ZS140CNVLCCTENN3
Ivanti Velocity Web 3 Years Subscription includes Maintenance Services Ivnt #160-SUB-VELOCWEB3	ZS160SUBVLCWEB3
Ivanti Velocity Web Annual Subscription includes Maintenance Services Ivnt #160-SUB-VELOCWEB	ZS160SUBVLCWEB
Ivanti Velocity Web Perpetual to 1 Year Subscription Conversion Ivnt #160-CON-VELOCWEB	ZS160CONVLCWEB
Ivanti Velocity Web Perpetual to 3 Years Subscription Conversion #160-CON-VELOCWEB3	ZS160CONVLCWEB3
SOTI cloud environment fee (for cloud instances under 75 licenses) for ZSSOTICLOUDBUND. Flat monthly fee.	ZSSOTIENVFEE
SOTI MobiControl Cloud License " Hosted by SOTI. Includes Hosting Fee and Standard Support. Per device per month	ZSSOTICLOUDBUND
SOTI MobiControl Enterprise Support per device per month (>=500 devices). Requires ZSSOTISTDMTC as well.	ZSSOTIENTMTC
SOTI MobiControl On Premise Perpetual License. Available only for government new-business customers or existing customer expansion. Requires mainenance SKU ZSSOTISTDMTC.	94ACC0179
SOTI MobiControl Standard Support, per device, per month. Must be purchased with 94ACC0179 (12 months minimum new purchase). Add Premium/Enterprise as desired.	ZSSOTISTDMTC
SOTI MobiControl Subscription License " Hosted by End User. Per device per month. Includes standard support. Add Premium/Enterprise as desired.	ZSSOTISUBSPREM