



<b>Magellan 1500i</b>	
Magellan 1500i, Black, Std Configuration, 2D, Riser stand with Magnetic Base, Euro Power Supply, RS-232 Cable	MG1501-10231-2100
Magellan 1500i, Black, Std Configuration, 2D, Riser Stand with Magnetic Base, USB A Cable	MG1501-10231-0200
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand with Magnetic Base, USB A Cable	MG1501-10211-0200
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, Euro Power Supply RS-232 Cable	MG1501-10210-2100
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, No Cable	MG1501-10210
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, US Power Supply RS-232 Cable	MG1501-10210-1100
Magellan 1500i, Black, Std Configuration, 2D, Tilting Stand, USB A Cable	MG1501-10210-0200
Magellan 1500i, Black, Std Configuration, 2D, Wall Mount Kit, USB A Cable	MG1501-10250-0200
Magellan 1500i, Black, Std Configuration, DWM, Tilting Stand, USB A Cable	MG1501-10310-0200
Magellan 1500i, White, Std Configuration, 2D, Riser Stand with Magnetic Base, Euro Power Supply, RS-232 Cable	MG1502-10241-2100
Magellan 1500i, White, Std Configuration, 2D, Riser Stand with Magnetic Base, USB A Cable	MG1502-10241-0200
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand with Magnetic Base, USB A Cable	MG1502-10221-0200
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, Euro Power Supply RS-232 Cable	MG1502-10220-2100
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, No Cable	MG1502-10220
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, US Power Supply RS-232 Cable	MG1502-10220-1100
Magellan 1500i, White, Std Configuration, 2D, Tilting Stand, USB A Cable	MG1502-10220-0200
Magellan 1500i, White, Std Configuration, 2D, Wall Mount Kit, USB A Cable	MG1502-10260-0200
Magellan 1500i, White, Std Configuration, DWM, Tilting Stand, USB A Cable	MG1502-10320-0200

<b>EASEOFCARE AGREEMENTS</b>	
MAGELLAN 1500i EofC 5 DAYS RENEWAL	ZSN5M1500R1
MAGELLAN 1500i EofC, 2 DAYS COMPREHENSIVE, 3 YEARS	ZSC2M150031
MAGELLAN 1500i EofC, 2 DAYS COMPREHENSIVE, 5 YEARS	ZSC2M150051
MAGELLAN 1500i EofC, 2 DAYS COMPREHENSIVE, RENEWAL	ZSC2M1500R1
MAGELLAN 1500i EofC, 5 DAYS, 3 YEARS	ZSN5M150031
MAGELLAN 1500i EofC, 5 DAYS, 5 YEARS	ZSN5M150051
MGL 1500i EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, 3 YEARS	ZSC1M150031

MGL 1500i EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, 5 YEARS	ZSC1M150051
MGL 1500i EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, RENEWAL	ZSC1M1500R1

CABLES	
CABLE ASY,RS,9D,S,E/P,EAS,SHT/OM,2M	90A052338
Cable, IBM USB, Power Off Terminal, Straight, 2 m	8-0754-07
CABLE, RS AUX, RJ10P, STRT, 2M	90A052346
Cable, RS-232, External Power, 9D, S, 2 m	8-0751-11
Cable, RS-232, Ruby Verifone, 8RJ, P, External Power, Straight, 2 m	8-0751-16
Cable, RS-232, Wincor w/DTR, 2 m	8-0751-10
Cable, USB, Power Off Terminal, Coiled, 2.44 m	8-0754-15
Cable, USB, Type A, Power Off Terminal, 2 m	8-0754-12
CABLE, USB+ POT, COIL, 3.65M	90A052351
Cable,IBM, USB,Power Off Terminal,Straight,3.66M	8-0754-13
CABLE,USB, POT,COIL,3.6M	90A052364
CABLE,USB,OEM,POT,EAS,2M	90A052337
CABLE,USB,SERIES A,POT,1M	90A052363
CABLE,USB,SERIES A,POT,EAS,2M	90A052336
CABLE,USB,SERIES A,STRAIGHT,3.66M	8-0754-14
CBL,RS232 9D S, E/P, SHT/OM, 600mm	90A052369

MOUNTS/STANDS		
	ACCESSORY,MAGNETIC MOUNT,MGL15	90ACC0384
	ACCESSORY,RISER STAND,WHITE,MGL15	90ACC0381

	ACCESSORY,TILT STAND,BLACK,MGL15	90ACC0378
	ACCESSORY,WALL MOUNT KIT,BLK,MGL15	90ACC0382
	ACCESSORY,WALL MOUNT KIT,WHITE,MGL15	90ACC0383
	RISER STAND, BLACK	90ACC0380
	ROUND STAND, BLACK BASE, BLACK SCANNER	90ACC0400
	ROUND STAND, SILVER BASE, BLACK SCANNER	90ACC0402
	ROUND STAND, SILVER BASE, WHITE SCANNER	90ACC0401
	TILTING STAND, WHITE	90ACC0379

<b>POWER SUPPLIES/CORDS</b>	
Power Cord, 2-Pin, AU	90ACC0316
Power Cord, 2-Pin, China	90ACC0311
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, Japan	90ACC0312
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Supply, 5VDC, ready to accept 2 pin power cord or alternatively an adapter power plug (not included order separately)	90ACC0287