

CODiScan	
CODiScan Bluetooth Wearable Scanner - Mid Range (on average 80-150cm) (Mandatory hand trigger to be purchased separately)	HS7600MR
CODiScan Bluetooth Wearable Scanner - Standard Range (on average 30-80cm) (Mandatory hand trigger to be purchased separately)	HS7600SR

BASE STATION	
Charging Station 12-Slots - (Requires 90ACC0350 - Power Supply and Regional Power Cord - 6003-09**)	MC-12HS7600
Charging Station 2-Slot Module (Max 3) - (Requires Power Supply - 90ACC0287 and Regional adapter or 2-Pin Power Cord)	MC-HS7600
USB Cap Charger 1-Slot (94A050044 USB-A to USB C cable included)	SC-HS7600

EASEOFCARE AGREEMENTS	
CODISCAN 12S CHARGER, 2 DAYS, 3 YEARS, COMP	ZSC2CODIS12S31
CODISCAN 12S CHARGER, 2 DAYS, 5 YEARS, COMP	ZSC2CODIS12S51
CODISCAN 1S CHARGER, 2 DAYS, 3 YEARS, COMP	ZSC2CODIS1S31
CODISCAN 1S CHARGER, 2 DAYS, 5 YEARS, COMP	ZSC2CODIS1S51
CODISCAN 2S CHARGER, 2 DAYS, 3 YEARS, COMP	ZSC2CODIS2S31
CODISCAN 2S CHARGER, 2 DAYS, 5 YEARS, COMP	ZSC2CODIS2S51
CODISCAN GATEWAY, 2 DAYS, 3 YEARS, COMP	ZSC2CODISGW31
CODISCAN GATEWAY, 2 DAYS, 5 YEARS, COMP	ZSC2CODISGW51
CODISCAN, 2 DAYS, 3 YEARS, COMP, BATT	ZSC2CODIS3B
CODISCAN, 2 DAYS, 5 YEARS, COMP, BATT	ZSC2CODIS5B
CODISCAN, 2 DAYS, RENEWAL, COMP, BATT	ZSC2CODISRB

CABLES	
Cable, USB, Type A, PVCW, Straight, 2M, Black	90A052258

MISCELLANEOUS	
Gateway Connect USB - Bluetooth-Wi-Fi - (Requires 90A052258 for direct connection to PC - Use Power Wall Adapter 94ACC0196 for other configuration)	GWU-HS7600
Lanyard - extensible with holder for neck/belt with USB port for charging - Order Separately USB Cable (94ACC0327)	LH-HS7600
Left Hand Trigger - Adjustable Multisize - 1 pc	HT1-HS7600KL
Left Hand Trigger - Adjustable Multisize - 5 pcs	HT5-HS7600KL
Right Hand Trigger - Adjustable Multisize - 1 pc	HT1-HS7600KR
Right Hand Trigger - Adjustable Multisize - 5 pcs	HT5-HS7600KR
Spare adjustable strap only - 5pcs	SS5-HS7600K
Spare Left Fabric - 5 pcs	SG5-HS7600KL
Spare Right Fabric - 5 pcs	SG5-HS7600KR
Spare Trigger System (Button - Cable - Holder) - 1pc	ST1-HS7600K
Spare Trigger System (Button - Cable - Holder) - 5 pcs	ST5-HS7600K
USB-A to USB C cable / 1.2m long	94ACC0327

POWER SUPPLIES/CORDS	
ADAPTER, POWER PLUG, AUSTRALIA	90ACC0309
ADAPTER, POWER PLUG, EURO, 2 PIN	90ACC0307
ADAPTER, POWER PLUG, UK	90ACC0308
ADAPTER, POWER PLUG, US/JAPAN	90ACC0306
Power Cord, 110V, US, Standard	6003-0941
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 240V, UK	6003-0923
Power Cord, 2-Pin, AU	90ACC0316
Power Cord, 2-Pin, China	90ACC0311

Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Cord, AC, IEC/EU	6003-0940
Power Cord, IEC C13, China	6003-0935
Power Supply, 5VDC, ready to accept 2 pin power cord or alternatively an adapter power plug (not included order separately)	90ACC0287
Power Supply, Switching, 12V, 5A (For Use with 6003-XXXX Power Cords)	90ACC0350
Power Wall Adapter with 4 regional plugs & USB A (for 94ACC0327 USB A to USB C cable)	94ACC0383